



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



BC

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM
PEDESTRIAN CRASH DATA STUDY

PSU 41

CASE NO. 005 P

TYPE OF ACCIDENT COT US

Ped

Frontal

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

The crosh site was and six lane divided trafficway. The conditions were wet, dark but lighted. The vehicle was north bound in the left thru lane. The pedestrian was crossing the street from the post in a west bound direction. The driver braked, but could not a void the crash.

(see RevoF +his pg)

B. PEDESTRIAN PROFILE								
Pedestrian			Treatment/		Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)			
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source	
01	36	M		BLAIN	OTHER: EPIDURAL HEMATOMA	5	Windshield Glazing	

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale		
Head Face Threat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other		 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity 	

	Class	O. VE.	ICLE PROFIL	Most Severe Damage Based on Vehicle Inspection
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description
01	sub- compact	97/Ford/Escort	F.ron+	relatively houry windshield damage


DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration


NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY





Scale 1cm=2.5m

41 005P



1(** !



U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 4 Case Number-Stratum 6 0 5 P PEDESTRIAN ACCIDENT COLLISION DATA COLLECTION SCALED DIAGRAM document reference point and reference line Surface Type north arrow placed on diagram relative to physical features documentation of all accident induced physical Surface Condition grade measurements for all applicable evidence including (if applicable): Coefficient of Friction scaled representations of the physical plant vehicle skid marks including: all road/roadway delineation (e.g., pedestrian contacts with ground or object crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) Grade (v/h) Measurement c) vehicle/pedestrian point of impact (POI) at impact b) all traffic controls (e.g., lights, signs) location of pedestrian separation point from between impact and d) scaled representations of the vehicle and final rest pedestrian at pre-impact, impact, and final rest based upon either: _ff) final resting points (FRP) for pedestrian and Pedestrian Travel Direction physical evidence, or documentation of the physical plant including: **Vehicle Travel Direction** reconstructed accident dynamics 8) all road/roadway delineation (e.g., crosswalks, Number of Travel Lanes curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs) tangent Reference Line: Straight Portion of Poilly east meadian cur B Next = tun lan Distance and Direction Distance and Direction Item from Reference Point from Reference Line 44.0 44.0 E 44,0 D 44,0 10. 414,0 = 14,4 22.0 N 22.0 1 22.0N 丁 21 0N 0,0

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
L	0.0	4,0 E
M	0.0	4,0 E 7,4 E 12,0 E 13,6 E 187 E
N	0.0	12,0 E
Q	non	13,6E
ρ	17.0N 44.0N	18.75
1		
		

× ·

•



PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

Administration		PEDESTRIAN CRASH DAT	INSIDE
Primary Sampling Unit Number	41	SPECIAL STUDIES - INDICATORS	
Case Number - Stratum	605p	Check () each special study (SS15-SS19 below) has been completed; code 1 for the checked s	
IDENTIFICATION		studies and 0 for the special studies not checked.	
Number of General Vehicle	0 1	6SS15 Administrative Use	_0
Forms Submitted	0 1	7. <u>✓</u> SS16 Pedestrian Crash Data Study	_1
4. Date of Accident (Month, Day, Year)	77	8SS17 Impact Fires	_0_
5. Time of Accident	3 1 3	9SS18	_0_
Code reported military time of accident NOTE: Midnight = 2400	ent.	10SS19	_0_
Unknown = 9999		NUMBER OF EVENTS	
		Number of Recorded Events in This Accident	0 1
D=	SECTION C	TUDY CRITERIA	

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may <u>not</u> be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS							
Accident Event General Vehicle Number General Sequence Vehicle Class Of Area of or Class Of Area of Number Vehicle Damage Object Contacted Vehicle Damage							
12. <u>0 1</u>	13. <u>0</u> <u>1</u>	14. 01	15. <u> </u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>	

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation

PEDESTRIAN ASSESSMENT FORM

O.M.B. No. 2127-0021

Form Approved

National Highway Traffic Safety Administration

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

	Primary Sampling Unit Number Case Number - Stratum 6 0 5 P	10. Pedestrian's Weight Code actual weight to the nearest kilogram. (999) Unknown
3. F	Pedestrian Number0_1	pounds X .4536 = kilograms
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
(1	Pedestrian's Age Code actual age at time of accident. OU) Less than one year old (specify by month): 97) 97 years and older 99) Unknown	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling (4) Bending at waist (8) Other (specify):
() () () () () () () ()	Pedestrian's Sex 1) Male 2) Female - not reported pregnant 3) Female - pregnant-1st trimester (1st-3rd month) 4) Female - pregnant-2nd trimester (4th-6th month) 5) Female - pregnant-3rd trimester (7th-9th month) 6) Female - pregnant-term unknown 9) Unknown Pedestrian's Overall Height Code actual height to the nearest	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping (6) Jumping (7) Falling/stumbling or rising (8) Other (specify):
7. F	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. 999) Unknown inches X 2.54 = centimeters	(9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road
	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. 999) Unknown	 (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
0	inches X 2.54 = centimeters Pedestrian's Height - Ground to Shoulder	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify): (9) Unknown

15. Pedestrian's First Avoidance Actions (00) No avoidance actions (01) Stopped (02) Accelerated pace (03) Ran away (along vehicle path) (04) Jumped (05) Turned toward vehicle (06) Turned away from vehicle (07) Dove or fell away Used hand(s) to: (11) Vault corner of vehicle (12) Vault onto vehicle (13) Brace against vehicle	18. Pedestrian's Arm Orientation at Initial Impact (01) At sides (02) Folded across chest (03) Hands clasped behind back (04) Hands on hips (05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) (10) Holding object (young child, grocery bag, etc.) in arm(s) (11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle (98) Other (specify): (99) Unknown	bag, etc.) on shoulder(s) or head (98) Other (specify): (99) Unknown
PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact (1) To front (2) To left (3) To right (4) Up (5) Down (8) Other (specify): (9) Unknown	19. Pedestrian's Leg Orientation at Initial Impact (01) Together (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown (06) Left foot off the ground (07) Right foot off the ground (08) Both feet off the ground (98) Other (specify): (99) Unknown 20. Vehicle/Pedestrian's Interaction (01) Carried by vehicle, wrapped position (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation at Initial Impact (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):	 (04) Passed over vehicle top (05) Thrown straight forward (06) Thrown forward and left of vehicle (07) Thrown forward and right of vehicle (08) Knocked to pavement, forward (09) Knocked to pavement, left of vehicle (10) Knocked to pavement, right of vehicle (11) Knocked to pavement, run over or dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):

Tational Accident Sampling System-Stashwo	orthiniogo Bu	a Cyclem: I caccalan Accessinent I cim	
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	<u></u>	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident	3
 22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given 	97	(9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	3
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	<u>P</u>	Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	1
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	<u>o</u> _	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):	<u>·</u>
(o) Chichowit		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	- (-)

RE COMPLETED BY THE ZONE CENTER
34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
S INCLUDED WITH INITIAL SUBMISSION? YES [] NO [] YES []

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

41

3. Pedestrian Number

0 1

2. Case Number - Stratum

605 P

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
w	1st 53	6 <u>/</u>	7 <u>グ</u>	1.04	9. <u>0</u> .2	10.2	11.5	12.775	13.4	14.1	15.2	16. <u>5</u>	17. <u>\$</u>
Oper	18.3 18.3 Websiles	198	20.5					25. <u>700</u>		27. 👤	28. <u>2</u>	29. <u>1</u>	
D ^r	3rd W. 31. 3	32. <u>8</u>	33. <u>5</u>	34. <u>/ (</u>	35. <u>05</u>	36. <u>2</u> 2	37. <u>2</u>	. 38. <u>70 0</u>	39. <u>Z</u>	40. 1	41. <u>2</u>	42. 1	43. <u>1</u>
Mich	۱۷ مسلون داء ۱۳۵۸ ۱۳۹۸ ۱۳۹۸ ۱۳۹۸ استان المعداد	45. <u>/</u>	46. <u>4</u>					51. <u>775</u>		53. <u>/</u>	54. 2	55. <u>5</u>	56. <u>5</u>
Pe	5th UST 3	58. <u>/</u>	59. <u>4</u>	60. <u>O</u> _L	61, <u>6</u> 8	62. <u>3</u>	63. <u>/</u>	64. <u>775</u>	65. <u>/</u>	66. <u>/</u>	67.2	68. <u>5</u>	69.5
(P)	16th 70 3	71. <u> </u>	72. <u>4</u>	73. <u>O G</u>	74. <u>29</u>	_{75.} 4	76. <u>/</u>	11. <u>775</u>	78. <u>/</u>	79. <u>/</u>	80. <u>2</u>	81. <u>5</u>	82. <u>5</u>
post	71h 83.3	84. <u>/</u>	85. 💪	86. <u>0</u> 4	87. <u>99</u>	88. 🗘	вэ. 🗳	90. <u>775</u>	91. <u>/</u> /	92	93.2	94. <u>5</u>	95. <u>5</u>
	8th 96	97	98		00		102	103	104	105	106		108
	9th 109	110	111	1121	13	114	115	116	117	118	119	120	121
	10th 122	123	124	1251	26	127	128	129.	130	131	132	133	134
Į													

PEDESTRIAN INJURY DATA Injury Source Type of Specific Source Direct/ Type of Injury Body Anatomic Level of Anatomic A.I.S. Injury Confidence Indirect Striking Of Damage Data Region Structure Structure Severity Aspect Injury Source Level Injury Profile Damage Depth 11th _ 12th _ 13th _ 14th _ 15th 16th ___ 17th _ 18th 19th 20th 21st 22nd 23rd 24th 25th

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





Injury not from vehicle contact (1) Autopsy records with or without hospital/ Probable No damage/contact (3) Possible medical records Scratch (Scuff, Cloth Transfer, Smear) Unknown (2) Hospital/medical records other than Dent Large deformation Cracked, fractured, shattered Separated from vehicle emergency room (e.g., discharge **DIRECT/INDIRECT INJURY** summary) Direct contact injury Indirect contact injury Emergency room records only (including Noncontact injury associated X-rays or other lab reports) Noncontact injury Other specify: (7) Injured, unknown source (4) Private physician, walk-in or emergency (9) Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) UNOFFICIAL (0) Injury not from vehicle contact(1) No residual damage (5) Lay coroner report (6) E.M.S. personnel Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Rounded (contoured) (7) Interviewee Rounded edge (3) (5) Sharp edge Other (specify): (8) Other source (specify): Crush depth > 5 to 10 centimeters Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION Spine (02) Cervical (04) Thoracic **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Head Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury (2) (3) Moderate injury (3) (4) (5) Neck Serious injury Thorax (06) Skin - Laceration (08) Skin - Avulsion <u>Vessels, Nerves, Organs, Bones, Joints</u> are assigned consecutive two digit numbers beginning with 02 (4) (5) Severe injury Abdomen Critical injury (6) Spine Amputation Maximum (untreatable) Injured, unknown severity (6)(7) Upper Extremity (20) Burn Lower Extremity (30) Crush Level of Injury (9) Unspecified (40) Degloving Aspect (50) Injury - NFS injuries are ve two-digit Specific assigned Type of Anatomic Structure (90) Trauma, other than mechanical consecutive numbers Right beginning with 02. (2) (3) Left Whole Area Head - LOC Bilateral Vessels (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 (3) (4) Central Nerves (5) (6) Anterior Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior ligaments) severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Superior (5) (6) Skeletal (includes joints) (8) Inferior Head - LOC (9) Unknown Skin NFS as to lesion or severity. Whole region **INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 947 Ground 778 Backlight glazing Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): _ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

INJURY SOURCE CONFIDENCE LEVEL

TYPE OF DAMAGE

SOURCE OF INJURY DATA

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Blood Alcohol Level (mg/dl)

BAL = <u>149</u>

Glasgow Coma Scale Score

GCSS =

Units of Blood Given


Units =


Arterial Blood Gases

Ph = _.__

PCO₂

HCO₃







OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

BUSHUT: POSSIBUE LUC -> NOU W/ PERSISTANT HEADACHE







U.S. Department of Transportation National Lighway Traffic Safety Administration

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

· · ·	OFFICIAL RECORDS
1. Primary Sampling Unit Number	NEI
2. Case Number - Stratum 6 0 5 P	9. Police Reported Travel Speed
3. Vehicle Number 0 1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown
VEHICLE IDENTIFICATION	3 5 mph X 1.6093 = kmph
4. Vehicle Model Year Code the last two digits of the model year (99) Unknown	10. Speed Limit (000) No statutory limit Code posted or statutory speed limit in kmph
5. Vehicle Make (specify):	(999) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	<u>US</u> mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver
(99) Unknown 6. Vehicle Model (specify):	(0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and	96
Editing Manual. (999) Unknown	12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type Note: Applicable codes may be found on the back of this page.	(96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
8. Vehicle Identification Number	Source.
F A L P 3 P V W 13 14 15 16 17 Left justify; Slash zeros and letter Z (0 and Z) No VIN—Code all zeros Unknown—Code all nines Unknown—Code Unknown—Code	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
	14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Uţility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan; Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer(68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15. Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown Ibs X .4536 = kgs	18. Impact Speed + 9 9 9 + 9 9 9
Source: 16. Vehicle Cargo Weight Code weight to nearest	19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
	PRECRASH DATA
OTHER DATA 17. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

	ş,ug.
23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(ob) Other oddoo or control loss (openly).	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	(90) Other chical preciasif event (specify).
_	(00) Hakaaya
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	24. Attempted Avoidance Maneuver 03
(12) Off the edge of the road on the left side	
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering left
• •	
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	25. Precrash Stability After Avoidance Maneuver
Other Motor Vehicle Encroaching Into Lane	(0) No driver present
(60) From adjacent lane (same direction)—over left	(1) No avoidance maneuver
lane line	(2) Tracking
(61) From adjacent lane (same direction)—over right	(3) Skidding longitudinally—rotation less than 30
lane line	degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	(-)
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(O) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway
	(9) Directional consequences unknown

PSU NUMBER CASE NUMBER YEAR

41	
605P	
1997	

PEDESTRIAN GENERAL VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- PAGE NUMBER (S)

0		

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTER	NOR VEHICLE FORM	NATIONAL ACCIDENT SAMPLING SYSTE PEDESTRIAN CRASH DATA STUD
	1	

1	Primary	Samr	lina	Unit	Number
٠.	i illiai y	Jailit	лиц	Onne	Number

3. Vehicle Number

2. Case Number - Stratum

VEHICLE IDENTIFICATION

VIN 1 FALP 1 3 PIV

Model Year 7

072

Vehicle Make (specify):

Fo	\mathbf{L}_{\uparrow}
1	• •

Vehicle Model (specify FS cart LX 4)

PEDESTRIAN FRONT CONTACT WORK SHEET


PEV06 Hood Material	meta1	
PEV08 Hood Length	102	cm
PEV09 Hood Width-Forward Opening	130	cm
PEV10 Hood Width-Midway	<u> </u>	cm
PEV11 Hood Width-Rear Opening	141	cm
PEV14 Front Bumper Cover Material	Plastic	
PEV15 Front Bumper Reinforcement Material	5+ee1	

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height	026 cm
PEV17 Front Bumper-Top Height	0.5.5 cm
PEV18 Forward Hood Opening	<u>067</u> cm
PEV19 Front Bumper Lead	0/2 cm

WRAP DISTANCES


PEV20 Ground to Forward F	Hood Opening		cm
PEV21 Ground to Front/Top	Transition Point	07.9	cm
PEV22 Ground to Rear Hood	d Opening	173	cm
PEV23 Ground to Base of W	Vindshield	181	cm
PEV24 Ground to Top of Wi	indshield	261	cm
PEV25 Ground to Head Con-	tact	243	cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

PEV06 Hood Material PEV08 Hood Length	
PEV08 Hood Length	
	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENTS	
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm

$_{-}$ inches x 2.54 = $\frac{250}{}$ cm	
inches x 2.54 = 434 cm	
inches $\times 2.54 = 170$ cm	
pounds $x . 4536 = $ kg	
$ \underline{\hspace{1cm}} $ inches x 2.54 = $ \underline{\hspace{1cm}} \hspace$	
$\underline{\hspace{1cm}}$ inches x 2.54 = $\underline{\hspace{1cm}}$ cm	
inches x 2.54 = $\frac{140}{100}$ cm	
cc x .001 = 4/2.0 L	
CID x .0164 = L	
INJURY SOURCE	
744 B pillar 790 Left front wheel / tire 745 C pillar 791 Right front wheel / tire	
746 D pillar 748 Other pillar (specify):	



bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET

PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID Label	COMPONENT CONTACTED	LONGITUDINAL Location (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE
B	hoo d	0	-13	0	shoe	rubber transfer	1 (2) 3 9	Ž
							1 2 3 9	
F	windshipid	70	- 30	15	terso	bousele	O 2 3 9	-
							1 2 3 9	
t	windshirld	-93	-33	10	heal	bill sete 1 hoir	O 2 3 9	Z
							1 2 3 9	
C	Left	- 65	-75	NA	t=r50	broken	O 2 3 9	4
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	_
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	

POINTS OF PEDESTRIAN CONTACT								
	CHRONOLOGICAL ORDER OF CONTACTS							
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED Body region	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF Contact Point (<i>Circle</i>)	
1	Poog B	0	-13	0	Shoe	rubber transfer	1 🕢 3 9	
2	windslip	1 -70	-}*	15	tersø	buisete	0219	
3	J windshiftd	- 93	- 33		head	bollseye	O 2 3 9	
4	L Mitter	-65	- 33 - 75	N/A	head tersa	bollsey? hair broker off	Ø2 3 3	
5							1 2 3 9	
, 6							1 2 3 9	
7				:			1 2 3 9	
ŧ							1 2 3 9	
9							1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 8	
17							1 2 3 9	
18							1 2 3 9	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23							1 2 3 9	
24							1 2 3 9	
25							1 2 3 9	

VEHICLE DIMENSIONS	11. Hood Width Rear Opening イイノ
4. Original Wheelbase	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
inches X 2.54 = centimeters	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian 1
nearest centimeter	(0) Not damaged (1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
inches X 2.54 = centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
)	(9) Unknown
6. Hood Material (1) Plastic	
(2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
	(4) Unknown if contacted by pedestrian -
7. Hood Original Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian -
(2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	ERONT CONTACT DAMACE
(9) Unknown	FRONT CONTACT DAMAGE
·	FRONT CONTACT DAMAGE From Vertical Measurements
(9) Unknown 8. Hood Length Code to the	Front Vertical Measurements
(9) Unknown 8. Hood Length Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact
(9) Unknown 8. Hood Length Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter	Front Vertical Measurements 14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the
(9) Unknown 8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more
8. Hood Length Code to the nearest centimeter (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeter 9. Hood Width Forward Opening Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown inches X 2.54 = centimeters 10. Hood Width Midway Code to the nearest centimeter (210) 210 centimeters or more (999) Unknown	14. Front Bumper Cover Material (0) No front contact (1) Plastic (2) Fiberglass (3) Rubber (4) Other (specify): (9) Unknown 15. Front Bumper Reinforcement Material (0) No front contact (1) Steel (2) Aluminum (3) Stainless Steel (4) Other (specify): (9) Unknown 16. Front Bumper-Bottom Height Code to the nearest centimeter (000) No front contact

18,	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters 24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters 25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
	. inches X 2.54 = centimeters	inches X 2.54 = centimeters
*****		SIDE CONTACT DAMAGE
	Front Wrap Distance Measurements	
		Side Vertical Measurements
21.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 = centimeters Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 = centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21.	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =centimeters Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 =centimeters Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown

		000	Side Lateral Measurements
29.	Centerline of Wheel	000	Sinc Latera Medalicinens
	Code to the nearest centimeter		
	(000) No side contact		35. Centerline to A-Pillar
	(150) 150 centimeters or more		at Bottom of Windshield
	(999) Unknown		(000) No side contact
			Code to the nearest centimeter
	inches X 2.54 =	centimeters	(250) 250 centimeters or more
			(999) Unknown
30	Top of Tire	000	
50.	Code to the		inches X 2.54 = centimeters
	nearest centimeter		
	(000) No side contact		36 Centerline to A-Pillar
	(200) 200 centimeters or more		36. Centerline to A-Pillar at Top of Windshield
	(999) Unknown		Code to the
			nearest centimeter
	inches X 2.54 =	centimeters	(000) No side contact
		_	(250) 250 centimeters or more
31.	Top of Wheel Well Opening	000	(999) Unknown
	Code to the		instan V 2 54
	nearest centimeter		inches X 2.54 = centimeter
	(000) No side contact		
	(250) 250 centimeters or more (999) Unknown		37. Centerline to Maximum Side 000
	(399) Olikilowii		View Mirror Protrusion
	inches X 2.54 =	centimeters	Code to the
		_	nearest centimeter
32.	Bottom of A-Pillar at Windshield	000	(000) No side contact (300) 300 centimeters or more
	Code to the		(999) Unknown
	nearest centimeter (000) No side contact		(coo, chilliotti
	(250) 250 centimeters or more	:	inches X 2.54 = centimeter
	(999) Unknown		
			Side Wrap Distance Measurements
	inches X 2.54 =	centimeters	
			0 0 0
33	Top of A-Pillar at Windshield	000	38. Ground to Side/Top Transition 000
55.	Code to the		Code to the
	nearest centimeter		nearest centimeter (000) No side contact
	(000) No side contact		(400) 400 centimeters or more
	(300) 300 centimeters or more		(999) Unknown
	(999) Unknown		
	inches X 2.54 =	contimeters	inches X 2.54 = centimeters
		centimeters	
		_	39. Ground to Hood Edge $\mathcal{O} \mathcal{O} \mathcal{O}$
34.	Top of Side View Mirror	000	Code to the
	Code to the		nearest centimeter
	nearest centimeter		(000) No side contact
	(000) No side contact (300) 300 centimeters or more		(500) 500 centimeters or more
	(999) Unknown		(999) Unknown
			inches V 2 54 — contimeters
	inches X 2.54 =	_ centimeters	inches X 2.54 = centimeters

PSU NUMBER
CASE NUMBER
YEAR

41 605P 1997

PEDESTRIAN EXTERIOR VEHICLE FORM

THE FOLLOWING DATA IS NOT INCLUDED IN THIS CASE:

- [] ENTIRE FORM
- PAGE NUMBER (S) ID

PSU41 CASE 605P

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident (military time)

01 **(m**/**49**/97)

2313

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1 8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

PSU41 CASE 605P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident			General	Veh. Num.		General
Sequence	Vehicle	Class of	Area of	OF	Class of	Area of
Number	Number	Vehicle	Damage	Obj. Cont.	Vehicle	Damage
**** **** **** **** **** ****			**** **** **** **** ****			**** *** *** *** *** ***
12. 01	13. 01	14. 01	15. F	16. 72	17. 00	18. O

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age 36 5. Pedestrian's Sex 1 6. Pedestrian's Overall Height 999 7. Pedestrian's Height - Ground to Knee 8. Pedestrian's Height - Ground to Hip 99 999 9. Pedestrian's Height - Ground to Shoulder 999 10. Pedestrian's Weight 999 PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian's Attitude 12. Pedestrian's Motion 8 13. Pedestrian's Actions Relative to Vehicle 01 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 1

PEDESTRIAN'S AVOIDANCE ACTIONS 15. Pedestrian's First Avoidance Actions	00
PEDESTRIAN'S ORIENTATION AT IMPACT	
16. Pedestrian's Head Orientation at Initial Impact	9
17. Pedestrian's Body (Chest) Orientation at Initial Impact	1
18. Pedestrian's Arm Orientation at Initial Impact	99
19. Pedestrian's Leg Orientation at Initial Impact	99
20. Vehicle/Pedestrian's Interaction	02
OFFICIAL RECORDS	
21. Police Reported Alcohol Presence For Pedestrian	1
22. Alcohol Test Result For Pedestrian	97
23. Police Reported Other Drug Presence For Pedestrian	0
24. Other Drug Specimen Test Result For Pedestrian	O

INJURY CONSEQUENCES	
25. Injury Severity (Police Rating)	3
O/C Transfer and the second of	3
27. Type of Medical Facility (for Initial Treatment)	1
28. Hospital Stay	99
29. Working Days Lost	99
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
	9
32. Arterial Blood Gases	Oi
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
DE Over Marking 11. m	ÖÖ

PSU41 1997 PEDESTRIAN INJURY FORM CASE 605P

VEHICLE 01 PEDESTRIAN 01

PEDESTRIAN INJURY DATA

	of Inj. Data	-	Type of Anat. Struc.	Anat.	Lev. of Inj.	AIS Sev.	Asp.	Inj. Source	Inj. Source Conf. Level	Dir./ Indir. Inj.			Dmg. Dep.
01.	3	1	5	04	02	2	5	775	1	1	2	5	5
02.	3	8	5	34	22	3	2	700	Ž	1	2	1	1
03.	3	8	5	16	05	2	2	700	2	1	2	1	1
04.	3	1	4	06	36.	5	1	775	1	1	2	5	5
05.	3	1	4	06	68	3	1	775	1	1	2	5	5
06.	3	1	4	06	29	4	1	775	1	1	2	5	5
07.	3	1.	6	04	99	1	O	775	1	1	2	5	5

1997 PEDESTRIAN GENERAL VEHICLE FORM

1

01

VEHICLE IDENTIFICATION	
4. Vehicle Model Year	97
5. Vehicle Make	12
6. Vehicle Model	013
7. Body Type	04
8. Vehicle Identification Number	1FALP13P1VW1
OFFICIAL RECORDS 9. Police Reported Travel Speed 10. Speed Limit 11. Police Reported Alcohol Presence For Driver 12. Alcohol Test Result For Driver 13. Police Reported Other Drug Presence 14. Other Drug Specimen Test Result for Driver	056 072 0 96 0

VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,110 9,990
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE CE 18. Impact Speed 19. Accuracy Range of Impact Speed Estimate 20. Data Source of Impact Speed	NTER) +999 9 0

PRE	CRASH DATA
21.	Driver's Attention to Driving
22.	Pre-Event Vehicle Movement

PRECRASH DATA (continued) 23. Critical Precrash Event 80 24. Attempted Avoidance Maneuver 03 25. Precrash Stability After Avoidance Maneuver 3 26. Precrash Directional Consequences of Avoidance Manuver (Corrective Action) 2

ENVIRONMENTAL DATA 27. Relation to Junction 0 28. Trafficway Flow 2 29. Number of Travel Lanes 4 30. Roadway Alignment 2 31. Roadway Profile 1 32. Roadway Surface Type 2 33. Roadway Surface Condition 2 34. Traffic Control Device 0 35. Traffic Control Device Functioning 0 36. Light Conditions 3 37. Atmospheric Conditions 1

PSU41 CASE 605P VEHICLE 01

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS

4.	Original Wheelbase	250
5.	Original Average Track Width	144
6.	Hood Material	3
7.	Hood Original Equip. Manufacturer	1
8.	Hood Length	102
9.	Hood Width Forward Opening	130
10.	Hood Width Midway	141
11.	Hood Width Rear Opening	141
12.	Hood/Fender Vertical/Lateral	
	Crush From Pedestrian	1
13.	Windshield Contact Damage From	
	Pedestrian Contact	2

FRONT CONTACT DAMAGE

16. Front Bumper-Bottom Height) 55 2
FRONT WRAP DISTANCE MEASUREMENTS			
20. Ground to Fwd. Hood Opening	072	21. Ground to Front/Top Transition Pt 0	79
22. Ground to Rear Hood Opening	173		81
24. Ground to Top of Windshield	261	25. Ground to Head Contact 2	es. (2)

SIDE CONTACT DAMAGE

S	ID	E VERTICAL MEASUREMENTS	
-	6.	Ground Clearance	000
2	7.	Side Bumper-Bottom Height	000
2	8.	Side Bumper-Top Height	000
2	9.	Centerline of Wheel	000
		Top of Tire	000
		Top of Wheel Well Opening	000
3	2.	Bottom of A-Pillar at Windshield	000
		Top of A-Pillar at Windshield	000
3	4.	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	аt	Bottom	c f	Windshield	000
36.	Centerline	to	A-Pillar	at	Top of	Wir	ndshield	000
37.	Centerline	to	Maximum 9	Side	- View N	diri	or Protrucion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000

Updated 8-8-97 - R.E.
Medical uponte possible.

PSU41 CASE 605P

1997 PEDESTRIAN ACCIDENT FORM

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)

5. Time of Accident (military time)

SPECIAL STUDIES - INDICATORS

6. SS15 0 7. SS16 1

8. SS17 0 9. SS18 0 10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident 01

PSU41 CASE 605P

1997 PEDESTRIAN ACCIDENT FORM

PEDESTRIAN ACCIDENT EVENTS

Accident Sequence Number	Vehicle Number	Class of Vehicle	General Area of Damage	Veh. Num. or Obj. Cont.	Class of Vehicle	General Area of Damage	
		**** **** **** **** **** ****		**** **** **** **** **** **** ****	**** **** **** **** **** ****		
12. 01	13. 01	14. 01	15. F	16. 72	17. 00	18. 0	

PEDESTRIAN'S CHARACTERISTICS 4. Pedestrian's Age 36 5. Pedestrian's Sex 1 6. Pedestrian's Overall Height 999 7. Pedestrian's Height - Ground to Knee 99 8. Pedestrian's Height - Ground to Hip 999 9. Pedestrian's Height - Ground to Shoulder 999 10. Pedestrian's Weight 999 PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian's Attitude 1 12. Pedestrian's Motion 8 13. Pedestrian's Actions Relative to Vehicle 01 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions 1

PEDESTRIAN'S ORIENTATION AT IMPACT 16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	PEDE	STRIAN'S AVOIDANCE ACTIONS	
16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	15.	Pedestrian's First Avoidance Actions	00
16. Pedestrian's Head Orientation at Initial Impact 17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	mm m	CTETANIC CETENTATION AT INCACT	
17. Pedestrian's Body (Chest) Orientation at Initial Impact 18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian			
18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	16.	Pedestrian's Head Orientation at Initial Impact	9
18. Pedestrian's Arm Orientation at Initial Impact 19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	17.	Pedestrian's Body (Chest) Orientation at Initial Impact	1
19. Pedestrian's Leg Orientation at Initial Impact 20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian			99
20. Vehicle/Pedestrian's Interaction OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian			99
OFFICIAL RECORDS 21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian			
21. Police Reported Alcohol Presence For Pedestrian 22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian	20.	Vehicle/Pedestrian's Interaction	02
22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian (OFFI	CIAL RECORDS	
22. Alcohol Test Result For Pedestrian 23. Police Reported Other Drug Presence For Pedestrian (21.	Police Reported Alcohol Presence For Pedestrian	1
23. Police Reported Other Drug Presence For Pedestrian (97
24. Other Drug Specimen Test Result For Pedestrian			O
—·	24.	Other Drug Specimen Test Result For Pedestrian	0

INJURY CONSEQUENCES 25. Injury Severity (Police Rating) 26. Treatment - Mortality 27. Type of Medical Facility (for Initial Treatm 28. Hospital Stay 29. Working Days Lost	3 3 nent) 1 99 99
(COMPLETED BY THE ZONE CENTER)	
30. Glasgow Coma Scale Score	02
31. Was the Pedestrian Given Blood?	9
32. Arterial Blood Gases	01
33. Time to Death	00
34. 1st Medically Reported Cause of Death	00
35. 2nd Medically Reported Cause of Death	00
36. 3rd Medically Reported Cause of Death	00
37. Number of Recorded Injuries for This Pedestr	ian 07

1997 PEDESTRIAN GENERAL VEHICLE FORM

VEHICLE IDENTIFICATION 4. Vehicle Model Year 97 5. Vehicle Make 12 6. Vehicle Model 013 7. Body Type 04 8. Vehicle Identification Number 1FALP13P1VW OFFICIAL RECORDS 9. Police Reported Travel Speed 056 10. Speed Limit 072 11. Police Reported Alcohol Presence For Driver 0 12. Alcohol Test Result For Driver 96 13. Police Reported Other Drug Presence 0 14. Other Drug Specimen Test Result for Driver 0

VEHICLE WEIGHT ITEMS 15. Vehicle Curb Weight 16. Vehicle Cargo Weight	1,110 9,990
OTHER DATA 17. Vehicle Special Use (This Trip)	0
RECONSTRUCTION DATA (COMPLETED BY THE ZONE	CENTEDY

KEUU	INSTRUCTION DA	TA (COMPL	LETED BY	THE	ZONE	CENTER)
18.	Impact Speed					+999
19.	Accuracy Rang	e of Impa	act Speed	d Est	imate	9
20.	Data Source o	f Impact	Speed			0

PRECRASH DATA 21. Driver's Attention to Driving 1

21. Driver's Attention to Driving 1
22. Pre-Event Vehicle Movement 01

PKEU	JRASH DATA (continued)	
23.	Critical Precrash Event	80
24.	Attempted Avoidance Maneuver	03
25.	Precrash Stability After Avoidance Maneuver	3
26.	Precrash Directional Consequences of	
	Avoidance Manuver (Corrective Action)	2

ENV.	IRONMENTAL DATA	
27.	Relation to Junction	0
28.	Trafficway Flow	2
29.	Number of Travel Lanes	4
30.	Roadway Alignment	2
31.	Roadway Profile	1
32.	Roadway Surface Type	2
33.	Roadway Surface Condition	2
34.	Traffic Control Device	O
35.	Traffic Control Device Functioning	O
	Light Conditions	3
37.	Atmospheric Conditions	1

PSU41 CASE 605P VEHICLE 01

1997 PEDESTRIAN EXTERIOR VEHICLE FORM

VEHICLE DIMENSIONS	
4. Original Wheelbase	250
5. Original Average Track Width	144
6. Hood Material	3
7. Hood Original Equip. Manufacturer	1
8. Hood Length	102
9. Hood Width Forward Opening	130
10. Hood Width Midway	141
11. Hood Width Rear Opening	141
12. Hood/Fender Vertical/Lateral	
Crush From Pedestrian	1
13. Windshield Contact Damage From	
Pedestrian Contact	2

FRONT CONTACT DAMAGE

FRUNI VERTICAL MEASUREMENTS 14. Front Bumper Cover Material 16. Front Bumper-Bottom Height 18. Forward Hood Opening		17. Front Bumper-Top Height 0)55 2
FRONT WRAP DISTANCE MEASUREMENTS 20. Ground to Fwd. Hood Opening 22. Ground to Rear Hood Opening 24. Ground to Top of Windshield	072 173	21. Ground to Front/Top Transition Pt 0 23. Ground to Base of Windshield 1 25. Ground to Head Contact 2	79 81 43

SIDE CONTACT DAMAGE

SIDE	E VERTICAL MEASUREMENTS	
	Ground Clearance	000
	Side Bumper-Bottom Height	000
28.	Side Bumper-Top Height	000
29.	Centerline of Wheel	000
30.	Top of Tire	000
	Top of Wheel Well Opening	000
32.	Bottom of A-Pillar at Windshield	000
33.	Top of A-Pillar at Windshield	000
	Top of Side View Mirror	000

SIDE CONTACT DAMAGE (continued)

SIDE LATERAL MEASUREMENTS

35.	Centerline	to	A-Pillar	at	Bottom of Windshield	000
36.	Centerline	to	A-Fillar	at	Top of Windshield	000
37.	Centerline	to	Maximum S	ide	· View Mirror Protrusion	000

SIDE WRAP DISTANCE MEASUREMENTS

38.	Ground	to	Side/Top Transition	000
39.	Ground	to	Hood Edge	000
40.	Ground	to	Centerline of Hood (Origin)	000
41.	Ground	to	Head Contact	000

000000000000000 0.141605P000100120 9710.010000000000101F72000 41605P00010021 10.0 00000000361999999999999918011009199990219700331999902 9010000000007 41605P00010131 10.0 00000000031504022577511255 41605P00010231 10.0 00000000038534223270021211 41605P00010331 10.0 00000000038516052270021211 41605P00010431 10.0 00000000031406365177511255 41605P00010531 10.0 00000000031406683177511255 41605P00010631 10.0 00000000031406294177511255 41605P00010731 10.0 00000000031604991077511255 41605P01000041 10.0 0000000009712013041FALP13P1VW1680840560 99010180033202421220031 41605P01000051 10.0 0000000002501443110213014114112110260550671207207

41605P000000110 3710.0000000000001231301000010507970507970 37979 9700000000000

PSU41 CASE 605P CURRENT VERSION: 10.0

0000000000000

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

4/**4**/97

	JMBER OF DLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Υ
Pedestrian Assessment	O	Ō	Ō	Ý
Pedestrian Injury	O	O	ō	Ý
Pedestrian General Vehicle	0	Ō	Ō	Ý
Pedestrian Exterior Vehicle	• O	O	ō	Ý
Total Inter Errors		0	o	
Total Case Errors	0	O	0	